



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

August 19, 2004

Strohs Water Co Inc  
3408 Hunt Street NW  
Gig Harbor WA 98335

Dear Sir or Madame:

RE: Water Permit No. G2-28125

We have received your Notice of Completion of Construction associated with the above-numbered permit.

Enclosed is a Proof of Appropriation form, which is to be filed **when the water has been put to full beneficial use**. Full beneficial use means that water is being used in agreement with the terms of the permit. You may complete and file the Proof of Appropriation form for less water than authorized in the permit, if the project is complete and less water is being used than anticipated.

If you cannot put the water to full beneficial use by **June 1, 2010**, please contact the Department of Ecology. Permit cancellation may result for failing to timely file the Proof of Appropriation form.

The fees for filing and recording your Water Right Certificate are **\$5.00 payable to the Department of Ecology and \$21.00 payable to the Pierce County Auditor**. Send the Proof of Appropriation form and both checks to the Department of Ecology. Also, the County Auditor is **requiring** that we have the **parcel number** for the point of diversion/withdrawal and the place of use, added to your certificate. ***Do not submit your fees and paperwork until you have put the water to full beneficial use.*** If you do not expect to have the water put to full beneficial use by **June 1, 2010**, you should request further extensions, as needed. To request additional extensions, you will need to submit a letter explaining why an extension is needed, including how many more connections are proposed on this water system. You may extend for more than one year at a time at a rate of \$5.00 per year.

If you have any questions or concerns on the above information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270.

Sincerely,

A handwritten signature in cursive script that reads "Teresa Hanson".

Teresa Hanson  
Water Resources

TH:th (ccokpa.doc)

# Stroh's Water Company, Inc.



3408 Hunt St NW  
Gig Harbor, WA 98335

RECEIVED  
DEPT. OF ECOLOGY/SW3

04 AUG -9 11:02

Phone (253) 858-2065  
Fax (253) 858-6109

August 4, 2004

Teresa Hanson  
Water Resources Program  
Dept. of Ecology  
Southwest Regional Office  
PO Box 47775  
Olympia, WA 98504-7775

Dear Ms. Hanson,

This is a request for an extension of Water Permit No. G2-28125 for Well #8. This well has been drilled, the pump installed, and the well has been tested. The water produced by the well has been analyzed, and it has a slightly elevated level of magnesium that will require the installation of treatment equipment for removal in order to put the well in use.

While we still have sufficient water resources at present to cover our near term needs, we estimate in the next five years that the increasing population and corresponding demand for additional water will make it necessary to bring that well on line requiring that water treatment to be installed and that expenditure be made. We are requesting the extension of the permit so that those water resources are available at the time when increased water demands require them.

Enclosed is the Construction Notice with our estimates of percentage of work completed.

Thank you for your assistance in this matter.

Sincerely,

Kurt Rothenberg,  
Stroh's Water Company, Inc.





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

- ☐ BEGINNING OF CONSTRUCTION  
☒ COMPLETION OF CONSTRUCTION

NAME <u>STROH'S WATER Co, INC</u>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <u>G2-28125</u>	
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED <u>-</u>	DATE COMPLETION EXPECTED	
IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE			
% EQUIPMENT IN PLACE <u>75%</u>	% MATERIAL IN PLACE <u>50%</u>	% EXCAVATED <u>50%</u>	% STRUCTURE <u>0</u>
IF CONSTRUCTION HAS BEEN ABANDONED			
DATE ABANDONED	REASON ABANDONED		

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

PLEASE SEE ATTACHED COVER LETTER

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☒ begun ☐ completed the actual construction of the work described in the permit.

8/10/04  
cc. okay send PA  
w/ 6/1/2010 date  
Jwabl

Signature of Applicant

3408 Hurst St NW  
Present Address

GIG HARBOR, WA 98335  
City, State, Zip Code



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

July 19, 2004

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335

Dear Sir or Madame:

Re: Water Permit No. G2-28125

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 2004**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, **your extension request must be made in writing and contain the following:**

1. A description of efforts you have made to complete construction on the project since the permit was issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$5.00** extension fee made payable to the Department of Ecology. At **\$5.00** per year this would bring you current until **June 1, 2005**. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson  
Water Resources Program

TH:th (ccreminder1.doc)  
Enclosure







STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

November 3, 2003

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Water Permit No. G2-28125

In compliance with your request, you are hereby granted an extension of time until **June 1, 2004**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or Teresa Hanson at (360) 407-0270.

Sincerely,

A handwritten signature in cursive script that reads "Thomas Loranger".

Thomas Loranger  
Water Resources Section Manager  
Southwest Regional Office

TL:th (ccext.doc)



RECEIVED

OCT 15 2003

# Stroh's Water Company, Inc.



Washington State  
Department of Ecology

3408 Hunt St NW  
Gig Harbor, WA 98335

Phone (253) 858-2065  
Fax (253) 858-6109

October 8, 2003

Teresa Hanson  
Water Resources Program  
Dept. of Ecology  
Southwest Regional Office  
PO Box 47775  
Olympia, WA 98504-7775

Dear Ms. Hanson,

This is a request for an extension of Water Permit No. G2-28125 for Well #8. This well has been drilled, the pump installed and the well tested. The water produced by the well has been analyzed, and it has a slightly elevated level of magnesium that will require the installation of treatment equipment for removal in order to put the well in use.

While we have sufficient water resources at present to cover our near term needs, we estimate in the next five years that the increasing population and corresponding demand for additional water will make it necessary to bring that well on line requiring that water treatment to be installed and that expenditure be made. We are requesting the extension of the permit so that those water resources are available at the time when increased water demands require them.

Enclosed is the Construction Notice with our estimates of percentage of work completed.

Thank you for your assistance in this matter.

Sincerely,

*Frederick Stroh*

Frederick Stroh,

Stroh's Water Company, Inc.

10/28/03  
OK to extend  
cc date to 6/1/04  
Jwabs





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

RECEIVED

OCT 15 2003

Washington State  
Department of Ecology

CONSTRUCTION NOTICE

- ☐ BEGINNING OF CONSTRUCTION  
☐ COMPLETION OF CONSTRUCTION

NAME <i>STROH'S WATER CO, INC</i>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <i>G2-28125</i>
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED <i>—</i>	DATE COMPLETION EXPECTED

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE <i>x 75%</i>	% MATERIAL IN PLACE <i>x 50%</i>	% EXCAVATED <i>x 50%</i>	% STRUCTURE <i>x 0</i>
--------------------------------------	-------------------------------------	-----------------------------	---------------------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED <i>x</i>	REASON ABANDONED
----------------------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

*SEE ATTACHED COVER LETTER*

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☒ begun ☐ completed the actual construction of the work described in the permit.

*Hedrick Stroh*  
Signature of Applicant

*3408 HUNT ST NW*  
Present Address

*GIG HARBOR, WA 98335*  
City, State, Zip Code



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

PO Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 14, 2003

CERTIFIED MAIL

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Water Permit No. G2-28125

On **August 5, 2003**, you were sent a letter reminding you of the need to file a Completion of Construction or request an extension of time to complete construction on your project. We have not received a response to that letter.

Please complete the enclosed Completion of Construction form if you have completed construction on the water system. If you have not completed construction, you may request an extension of time. **The request must be in writing and contain the following if you can show good cause why your permit should not be cancelled.**

1. A description of efforts you have made since the permit was issued or the last extension was granted to complete construction.
2. An anticipated time schedule for completing construction and completing development of the water system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$5.00** extension fee made payable to the Department of Ecology, at \$5.00 a year this would bring you current until **June 1, 2004**. Payments of extension fees are non-refundable regardless whether the extension is granted.

If we do not receive either the completed form or the request for extension with the extension fee **within sixty (60) days from receipt of this letter**, your permit will be canceled with no further contact.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson

Water Resources Program

TH:th (ccreminder2.doc)



7003 0500 0004 9172 2277

U.S. Postal Service<sup>TM</sup>

CERTIFIED MAIL<sup>TM</sup> RECEIPT

(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at [www.usps.com](http://www.usps.com)

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

Sent To

Stroh Water Company

Street, Apt. No.,  
or PO Box No. G2-28125

City, State, ZIP+4

PS Form 3800, June 2002

See Reverse for Instructions

DEPARTMENT OF ECOLOGY

SOUTHWEST REGIONAL OFFICE

POST OFFICE BOX 47776

OLYMPIA, WA 98504-7775

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
<ul style="list-style-type: none"><li>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li><li>■ Print your name and address on the reverse so that we can return the card to you.</li><li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li></ul>	A. Signature X
	<input type="checkbox"/> Agent <input type="checkbox"/> Addressee
	B. Received by (Printed Name)
	C. Date of Delivery 10-18
1. Article Addressed to:  STROH WATER COMPNAY 3408 HUNT STREET GIG HARBOR WA 98335-2038	D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No
	3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.
	4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes
2. 7003 0500 0004 9172 2277	SWRO/WR G2-28125
PS Form 3811, August 2001	Domestic Return Receipt
	102595-02-M-1035



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

August 5, 2003

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335

Dear Sir or Madame:

Re: Water Permit No. G2-28125

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 2003**, and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, **your extension request must be made in writing and contain the following:**

1. A description of efforts you have made to complete construction on the project since the permit was issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$5.00** extension fee made payable to the Department of Ecology. At **\$5.00** per year this would bring you current until **June 1, 2004**. Any payments of extension fees are non-refundable regardless whether the extension is granted.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project.

If you have any questions or concerns about any of this information, please call Sheri Carroll at (360) 407-0240 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

Teresa Hanson  
Water Resources Program

TH:th (ccreminder1.doc)  
Enclosure





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

March 12, 2002

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:


Re: Water Permit No. G2-28125

In compliance with your request, you are hereby granted an extension of time until **June 1, 2003**, in which you must complete construction and file notice of such action under the above referenced number.

This order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days of the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, c/o Water Resources Appeal Coordinator, PO Box 47600, Olympia, WA 98504-7600. Your appeal alone will not stay the effectiveness of this order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.


If you have any questions or concerns about any of this information, please call Tina Russell at (360) 407-6918 or Teresa Hanson at (360) 407-0270.

Sincerely,



J. Mike Harris  
Water Resources Supervisor  
Southwest Regional Office

JMH:th (ccext.doc)



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

CONSTRUCTION NOTICE

RECEIVED  
DEPT. OF ECOLOGY/SWRD

☐ BEGINNING OF CONSTRUCTION

'02 MAR -1 P1:07

☐ COMPLETION OF CONSTRUCTION

#8 Well

NAME <i>Strohs Water Co Inc</i>	SURFACE WATER PERMIT NO.	GROUND WATER PERMIT NO. <i>G2-28125</i>
DATE CONSTRUCTION BEGAN	DATE CONSTRUCTION COMPLETED <i>2-1-95</i>	DATE COMPLETION EXPECTED

IF CONSTRUCTION NOT COMPLETE, SHOW % COMPLETED AS OF THIS DATE

% EQUIPMENT IN PLACE	% MATERIAL IN PLACE <i>yes</i>	% EXCAVATED	% STRUCTURE
----------------------	-----------------------------------	-------------	-------------

IF CONSTRUCTION HAS BEEN ABANDONED

DATE ABANDONED	REASON ABANDONED
----------------	------------------

REMARKS OR ANY ADDITIONAL INFORMATION WHICH MAY TEND TO SHOW GOOD FAITH IN THE PROSECUTION OF THE WORK

"need more Time"

Results: too much manganese MN = 100 and over

may ask to have permit # G2-28125 changed to  
4 and 5 Well.

where we just put a new 250,000 gal tank and  
pumping station

I certify I am the holder of the above permit issued by the Department of Ecology for the State of Washington, and in accordance with the terms of such permit and the limitations endorsed by the Department of Ecology have ☐ begun ☐ completed the actual construction of the work described in the permit.

3/8/02  
OK to extend CC  
to 6/1/2003  
*J Walsh*

ECY 040-1-30  
Rev. 6/78

*Frederick Stroh*  
Signature of Applicant

*3408 Hunt St N.W*  
Present Address

*Lij Harbor Wa 98335*  
City, State, Zip Code

253 - 858 - 2065





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

February 22, 2002

CERTIFIED MAIL

Stroh Water Company  
3408 Hunt Street  
Gig Harbor WA 98335-2038

Dear Sir or Madame:

Re: Water Permit No. G2-28125

On **October 15, 2001**, you were sent a letter reminding you of the need to file a Completion of Construction or request an extension of time to complete construction on your project. We have not received a response to that letter.


Please complete the enclosed Completion of Construction form if you have completed construction on the water system. If you have not completed construction, you may request an extension of time. **The request must be in writing and contain the following if you can show good cause why your permit should not be cancelled.**

1. A description of efforts you have made since the permit was issued or the last extension was granted to complete construction.
2. An anticipated time schedule for completing construction and completing development of the water system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. Check or money order for the **\$10.00** extension fee made payable to the Department of Ecology, at \$5.00 a year this would bring you current until **June 1, 2002**. Payments of extension fees are non-refundable regardless whether the extension is granted.

If we do not receive either the completed form or the request for extension with the extension fee **within sixty (60) days from receipt of this letter**, your permit will be canceled with no further contact.

If you have any questions or concerns about any of this information, please call Tina Russell at (360) 407-6918 or myself at (360) 407-0270. Thank you for your attention to this matter.


Sincerely,

  
Teresa Hanson  
Water Resources Program  
TH:th (ccreminder2.doc)

U.S. Postal Service <b>CERTIFIED MAIL RECEIPT</b> (Domestic Mail Only; No Insurance Coverage Provided)	
OFFICIAL USE	
Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$
Sent To Stroh Water Co Street, Apt. No.; or PO Box No. G2-28125 City, State, ZIP+4	
PS Form 3800, May 2000	
See Reverse for Instructions	

7000 1670 0005 4828 2080

DEPARTMENT OF ECOLOGY  
SOUTHWEST REGIONAL OFFICE  
POST OFFICE BOX 47775  
OLYMPIA, WA 98504-7775

SENDER: COMPLETE THIS SECTION		COMPLETE THIS SECTION ON DELIVERY	
<ul style="list-style-type: none"><li>■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.</li><li>■ Print your name and address on the reverse so that we can return the card to you.</li><li>■ Attach this card to the back of the mailpiece, or on the front if space permits.</li></ul>		A. Received by (Please Print Clearly) B. Date of Delivery 2/26/02	
1. Article Addressed to:  STROH WATER COMPANY 3408 HUNT STREET GIG HARBOR WA 98335-2038		C. Signature X  <input type="checkbox"/> Agent <input type="checkbox"/> Addressee	
2. Article Number (Copy from service label) 7000 1670 0005 4828 2080		D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No	
3. Service Type <input checked="" type="checkbox"/> Certified Mail <input type="checkbox"/> Express Mail <input type="checkbox"/> Registered <input type="checkbox"/> Return Receipt for Merchandise <input type="checkbox"/> Insured Mail <input type="checkbox"/> C.O.D.		4. Restricted Delivery? (Extra Fee) <input type="checkbox"/> Yes	
PS Form 3811, July 1999		Domestic Return Receipt	
102595-00-M-0952			





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

October 15, 2001

Stroh Water Company  
Fred Stroh  
3408 Hunt Street  
Gig Harbor Wa 98335-2038

Dear Mr. Stroh:

Re: Water Permit No. G2-28125

The above referenced permit is currently in the Completion of Construction stage of development. This letter is to remind you that the permit development schedule required that construction be completed on the water system on or before **June 1, 2000** and that you notify this office that construction has been complete. Please complete the enclosed Completion of Construction form and submit it to this office as soon as possible if you have completed construction on the water system.

If you have not completed construction and are still interested in developing your project, you may request an extension of time. Since state law requires that the project be pursued with diligence and that good cause be shown before an extension can be granted, **your extension request must be made in writing and contain the following:**

1. A description of efforts you have made to complete construction on the project since the permit was issued or the last extension was granted.
2. A time schedule for completing the project and developing the system.
3. Reason(s) for needing the extension.
4. Any additional remarks concerning your project that will assist us in making our decision of whether to grant the extension.
5. A check in the amount of \$10.00 was received from you on August 30, 2001. The check was sent to us without any information. It can be applied towards the extension to extend your file until June 1, 2002.

Please submit the Completion of Construction form or the request for extension with the extension fee within **thirty (30) days** from the date of this letter. This office should be notified if you no longer intend to develop the project.

If you have any questions or concerns about any of this information, please call Tina Russell at (360) 407-6918 or myself at (360) 407-0270. Thank you for your attention to this matter.

Sincerely,

*Teresa Hanson*  
Teresa Hanson  
Water Resources

TH:th  
Enclosure





STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY  
P.O. Box 47775 • Olympia, Washington 98504-7775 • (360) 407-6300

September 4, 2001

Stroh Water Company  
3408 Hunt Street  
Gig Harbor, WA 98335-2038

Dear Sir or Madam:

We recently received a \$10 check from Stroh Water without any indication of why. I suspect that the check was sent in response to Ecology's June 14, 2001, letter regarding your construction schedule on permit G2-28125, and you may be requesting an extension.

If this is the case and you do wish to request an extension, please follow the instructions in that letter (copy enclosed) specifically items 1 through 4.

Thank you for your attention to this matter. You may send your written request directly to my attention.

Sincerely,

Jim Walsh  
Water Resources Program  
Southwest Regional Office

JW:th

